

FRAILTY IN CLINICAL PRACTICE AND PUBLIC HEALTH

P1 • FRAILTY AND OSTEOARTHRITIS IN OLDER CHILEANS*Cecilia Albala, PhD, Institute of Nutrition and Food Technology (INTA), Universidad de Chile (Chile)***P2 • PILOT STUDY ON CHANGES IN GRIP STRENGTH, TIME UP AND GO, PROMIS-PHYSICAL FUNCTION BEFORE AND AFTER BONE MARROW TRANSPLANT FOR HEMATOLOGIC MALIGNANCIES: FRAILTY AND SARCOPENIA RESEARCH IMPLICATIONS***Paulo H.M. Chaves, MD, PhD, Benjamin Leon Center for Geriatric Research and Education, Florida International University, Miami, FL, (USA)***P3 • A 'SNAP-SHOT' VISUAL ESTIMATION OF HEALTH IS ASSOCIATED WITH FRAILTY IN OLDER WOMEN***Patrik Bartosch, MD, Department of Clinical Sciences, Lund University, Malmö, Sweden, Department of Orthopaedics, Skåne University Hospital, Malmö, (Sweden)***P4 • MEAN MORNING HOURLY ACTIVITY AND VARIANCE PREDICT 5-YEAR FRAILTY DECLINE IN A NATIONAL SAMPLE***Megan Huisinigh-Scheetz, MD MPH, University of Chicago, Riverside, IL (USA)***P5 • COMPARISON OF FRAILTY SCALES TO PREDICT ADVERSE INPATIENT EVENTS AND HOSPITAL READMISSION***Joyce Coker, MD, Cambridge Public Health, University of Cambridge, Cambridge, (UK)***P6 • ASSOCIATION BETWEEN FRAILTY STATUS AND CPR OUTCOMES IN OLDER VETERANS***Dominique Tosi MD, University of Miami/Jackson Health System, FL, (USA)***P7 • SIGNIFICANT PSYCHOSOCIAL INFLUENCE IN FRAIL PEOPLE LIVING WITH HIV IN MALAYSIA***Siti Azdiah Abdul Aziz, National University of Malaysia, Kuala Lumpur (Malaysia)***P8 • COMPARISON OF THE FRAILTY JUDGMENT CRITERIA BY GRIP STRENGTH MEASUREMENT THAT ALLOWS FOR REACTION TIME***Yasuo Suzuki, Nihon Fukushi University, Japan - National Center for Geriatrics and Gerontology, Handa (Japan)***P9 • FRAILTY AND HEALTHY-RELATED QUALITY OF LIFE IN PATIENTS WITH POLYMYALGIA RHEUMATICA***Sebastian E. Sattui MD, MS, Hospital for Special Surgery, New York, NY, (USA)***P10 • DEVELOPMENT OF A FRAILTY ASSESSMENT AND INTERVENTION PROGRAM IN EASTERN SINGAPORE- THE FRAIL TO FIT CLINIC***Gurinderjit Kaur Sidhu, MBBS, MRCP, Department of Geriatric Medicine, Changi General Hospital, (Singapore)***P11 • POINT PREVALENCE OF FRAILTY AND PAIN IN ADULT INPATIENTS OF AN AUSTRALIAN ACUTE PRIVATE HOSPITAL***Rosemary Saunders RN, PhD, Centre for Research in Aged Care, School of Nursing and Midwifery, Edith Cowan University, Joondalup, Western Australia, (Australia)***P12 • DIALYSIS OR CONSERVATIVE CARE FOR FRAIL OLDER ADULTS AND IMPLICATIONS OF CODE STATUS AND ETHICS OF DECISION-MAKING: CASE PRESENTATION***Sanaa Badour, MD, MSc, Geriatric Medicine, University of Miami and Jackson Health System, Miami, FL (USA)***P13 • THE FRAIL-NH SCALE: SYSTEMATIC REVIEW OF THE USE, VALIDITY AND CROSS-CULTURAL ADAPTATIONS FOR FRAILTY SCREENING IN NURSING HOMES***Shin J Liao, BPharm, Centre for Medicine Use and Safety, Faculty of Pharmacy and Pharmaceutical Sciences, Monash University, Melbourne, Victoria, Australia National Health and Medical Research Council (NHMRC) Centre of Research Excellence in Frailty and Healthy Ageing, (Australia)***P14 • A BAYESIAN NETWORK ANALYSIS OF FRAILTY STATE TRANSITIONS AMONG COMMUNITY-DWELLING ELDERLY JAPANESE***Kohei Tsukagoshi, Faculty of Engineering, Information and Systems, University of Tsukuba, (Japan)***P15 • FRAILTY IN A POPULATION OF HIGH-NEED HIGH-RISK VETERANS IN FLORIDA***Natasha Melo, University of Miami Jackson Health System Miami FL, (USA)***P16 • PREVALENCE AND FACTORS ASSOCIATED TO FRAILTY IN HOSPITALIZED ELDERLY***Clóris Regina Blanski Grden, PhD, Estadual University of Ponta Grossa (Brazil)***P17 • THE IMPORTANCE OF OBJECTIVE MEASURES (HAND GRIP STRENGTH) AND MULTIDIMENSIONAL ASSESSMENT OF THE FRAILTY SYNDROME IN ELDERLY PATIENTS***Katarzyna Lomper, Medical University, Department of Clinical Nursing, Wroclaw (Poland)***P18 • CONDITION OF FRAGILITY AND POLYPHARMACY IN THE ELDERLY IN A BRAZILIAN RURAL COMMUNITY***Clóris Regina Blanski Grden, PhD, Estadual University of Ponta Grossa (Brazil)***P19 • FRAILTY PREVALENCE AND ITS ASSOCIATIONS IN A SUBACUTE GERIATRIC WARD IN SINGAPORE***Christine Yuanxin Chen, Department of Geriatric Medicine, Changi General Hospital, (Singapore)***P20 • CURRENT GUIDELINES AND CONSENSUS DOCUMENTS IN SPAIN FOR THE MANAGEMENT OF FRAILTY IN PRIMARY CARE***Iñaki Marfín Lesende, MD, Indautxu Primary Health Centre, Bilbao-Basurto Integrated Health Organisation, Basque Health Service (Osakidetza), Spain Department of Medicine of the Basque Country University (UPV/EHU), Leioa, Bizkaia, Spain. Member of the Working Groups for the Care for Elderly People and Programme of Preventive Activities and Health Promotion (PAPPS) of the Spanish Society of Family and Community Medicine (semFYC). (Spain)***P21 • BZRA DEPRESSION ON ACUTE GERIATRIC UNITS***François-Xavier Sibille, MD, Department of Geriatric Medicine, CHU UCL Namur, Yvoir, Institute of Health and Society, UCLouvain, Brussels, (Belgium)***P22 • AN ASSESSMENT OF THE TOULOUSE SAINT LOUIS UNIVERSITY MINI FALLS ASSESSMENT TOOL TO PREDICT INCIDENT FALLS AMONG OLDER ADULTS RESIDING IN NURSING HOMES: A 6-MONTH PROSPECTIVE STUDY***Olivier Bruyère PhD, WHO Collaborating Centre for Public Health Aspects of Musculoskeletal Health and Aging, Division of Public Health, Epidemiology and Health Economics, Department of Sport Rehabilitation Sciences, Physical, Rehabilitation Medicine and Sports Traumatology, SportS2, U Hospital of Liège, Liège, (Belgium)***P23 • FRAIL- VIG INDEX AND MORTALITY AT 12 MONTHS OF FOLLOW- UP***Carmen Eliana Peralta Vargas, Central Hospital of the Peruvian Air Force, Lima (Peru)***P24 • PREVALENCE OF SARCOPENIA AND ASSOCIATED FACTORS IN HOSPITALIZED ELDERLY***Clóris Regina Blanski Grden, PhD, Estadual University of Ponta Grossa (Brazil)***P25 • COGNITION AND FUNCTIONAL CLINICAL VULNERABILITY OF ELDERLY PEOPLE IN A RURAL COMMUNITY***Clóris Regina Blanski Grden, PhD, Estadual University of Ponta Grossa (Brazil)***P26 • IMPACT THE QUADRICEPS STRENGTH IN SUBJECTS WITH CHRONIC OBSTRUCTIVE PULMONARY DISEASE***Angela Maria Pereira, PT, PhD, Physiotherapy Department, Escola Superior de Saúde Egas Moniz, Centro de investigação interdisciplinar Egas Moniz, Monte da Caparica; Hospital Garcia de Orta, Almada (Portugal)***P27 • RELATIONSHIP OF PHYSICAL FRAILTY IN ELDERLY PEOPLE WITH DEPRESSIVE SYMPTOMS IN PRIMARY HEALTH CARE***Clóris Regina Blanski Grden, PhD, Estadual University of Ponta Grossa (Brazil)***P28 • ASSOCIATION OF PERCEIVED PHYSICAL FATIGABILITY WITH FRAILTY AND ITS SUBDOMAINS IN THE COMMUNITY-DWELLING OLDER ADULTS***Yixin Hu, Geriatric Health Care Department of The Second Medical Center & National Clinical Research Center for Geriatric Diseases, Chinese PLA General Hospital, Beijing, (China)***P29 • A FRAILTY INDEX BASED ON LABORATORY VALUES AND VITAL SIGNS (FI-LAB) IS ASSOCIATED WITH HIGHER INPATIENT MORTALITY IN HOSPITALIZED OLDER VETERANS***Christian Gomez, MD, Miami VAHS Geriatric Research, Education and Clinical Center (GRECC) (USA)***P30 • STATE OF THE ART WHILE MANAGING DIABETES IN OLDER ADULTS: EIGHT CASE STUDIES WITH FOCUS ON SGLT-2 INHIBITORS AND METFORMIN***Nezahat Muge Catikkas, MD, Istanbul University Istanbul Medical School Department of Internal Medicine Division of Geriatrics (Turkey)*

P31 • LOWER-EXTREMITY FUNCTION PREDICTS FRAILTY THROUGH ACTIVE LEISURE ACTIVITIES: A LONGITUDINAL MEDIATION ANALYSIS

Meng Zhao MD, Shandong University School of Nursing and Rehabilitation, Jinan Shandong (China)

LBP1 • PHYSICAL FRAILTY IS CORRELATED WITH WORSE QUALITY OF LIFE IN OLDER ADULTS WITH HYPERTENSION

Pan Liu, Xuanwu Hospital Capital Medical University, Xicheng District, Beijing (China)

LBP2 • PHYSICAL RESILIENCE IS ASSOCIATED WITH RECOVERY FROM ACUTE HEALTH STRESSORS IN FRAIL OLDER PATIENTS

Fang-Wen Hu, National Cheng Kung University Hospital, Tainan (Taiwan)

LBP3 • NUTRITION INTERVENTION FOR ADULT OUTPATIENTS WITH MALNUTRITION RISK REDUCES THE RISK OF INCIDENT FRAILTY

Carlos Cano, MD, Pontificia Universidad Javeriana, Bogota, Colombia; Hospital Universitario San Ignacio, Bogota, (Colombia)

LBP4 • PREDICTION ACCURACY OF DIFFERENT SCREENING TOOLS FOR EARLY FALLS DETECTION IN ELDERLY MEN AND WOMEN LIVING IN LONG-TERM CARE HOMES.

Nagore Arizaga, Department of Physiology, Faculty of Medicine and Nursing, University of the Basque Country, Andoain Gipuzkoa(Spain)

LBP5 • PREDICTORS OF FUNCTIONAL DECLINE IN HOSPITALIZED FRAIL OLDER ADULTS AND THE PREVENTIVE ROLE OF AN ASSESS-AND-RESTORE PROGRAM (HEART)

Beatrise Edelstein MHS, Humber River Hospital, Toronto, ON (Canada)

LBP6 • THE EFFECT OF FRAILTY ON MORTALITY AND OTHER ADVERSE OUTCOMES IN GERIATRIC PATIENTS WITH A HIP FRACTURE: A COHORT STUDY

Irene Carrillo-Arnal, Hospital de Mataró - Consorci Sanitari del Maresme, Barcelona (Spain)

LBP7 • FRAILTY SYNDROME, FUNCTIONAL DEPENDENCE AND MORTALITY IN THE ELDERLY IN LONG TERM CARE FACILITIES IN BOTUCATU - BRAZIL

Paulo José Fortes Villas Boas, Botucatu Medical School, São Paulo State University - Unesp, Botucatu São Paulo (Brazil)

LBP8 • DO INDICES OF SARCOPENIA PREDICT TREATMENT MODIFICATION IN OLDER ADULTS WITH CANCER?

PRELIMINARY RESULTS OF A RETROSPECTIVE COHORT STUDY

Efthymios Papadopoulos PhD, Department of Medicine, University Health Network, Toronto, Ontario (Canada)

LBP9 • OLDER WOMEN LIVING ALONE ARE AT GREATER RISK FOR FUNCTIONAL DECLINES: RESULTS FROM LONGITUDINAL AGING STUDY OF TAIPEI

Po-Chin Yang, Center for Geriatrics and Gerontology, Taipei Veterans General Hospital, Taipei (Taiwan)

LBP10 • COMPARISON OF PHYSICAL ACTIVITY USING A WEARABLE DEVICE AMONG COMMUNITY-DWELLING OLDER ADULTS WITH AND WITHOUT FRAILTY

Si-hyun Kim, Assistant professor, Department of Physical Therapy, Sangji University, Wonju-si, (South Korea)

LBP11 • THE IMPACT OF FRAILTY ON PROGNOSIS IN ELDERLY HEMODIALYSIS PATIENTS

Yuanyuan Li, Beijing Friendship Hospital Capital Medical University, Beijing (China)

LBP12 • CREATION OF A NEW FRAILTY SCALE IN PRIMARY CARE: THE ZULFIQAR FRAILTY SCALE (ZFS).

Abrar-Ahmad Zulfikar, M.D, CHRU Strasbourg(France)

COGNITIVE FRAILTY

P32 • EVALUATING ACCULTURATION STRESS AS PREDICTOR OF COGNITIVE FRAILTY IN VIETNAMESE IMMIGRANT PATIENTS OVER TELEHEALTH VISIT AT MEMORY CLINIC

Saleena Arif, MD, Adult Medicine, DotHouse Health, Dorchester, MA ((USA)

P33 • NON-PHARMACOLOGICAL INTERVENTIONS FOR NURSING HOME RESIDENTS WITH DEMENTIAS: PERCEPTIONS ON UTILITY OF CURRENT PRACTICES

Jennifer A. Knopp-Sihota, NP,PhD, Athabasca University, Edmonton Alberta (Canada)

P34 • PREDICTORS OF COGNITIVE AND PHYSICAL FRAILTY IN AGING

Nataliia Prokopenko, MD, Institute of Gerontology of National Academy of Medical Sciences, Kiev (Ukraine)

P35 • COGNITIVE IMPAIRMENT IN FRAIL STEMI PATIENTS: EFFECTS OF THROMBUS ASPIRATION

Pasquale Mone MD, University of the Study of Campania Luigi Vanvitelli, Naples (Italy)

LBP13 • SOCIAL, HEALTH, AND BEHAVIORAL FACTORS OF SOUTH KOREAN ADULTS WITH COGNITIVE IMPAIRMENT

Sanghun Nam MS, Yonsei University, Wonju Gangwon-do (Korea)

COVID 19 & FRAILTY & SARCOPENIA

P36 • AEROBIC AND RESISTANCE EXERCISE PROGRAM IN A RECUPERATIVE HEALTH AFTER COVID-19: A CASE REPORT

Myrian Abecassis Faber, PhD, University of Amazonas State, Manaus (Brazil)

P37 • FRAILTY AND MORTALITY IN COVID 19 HOSPITALIZED OLDER ADULTS

Vitor Pelegrim de Oliveira, MD, MSc, Hospital de Clinicas de Porto Alegre (Brazil)

P38 • EFFECTS OF COVID-19 ON FEAR OF FALLING AND SYMPTOMS OF ANXIETY AND DEPRESSION ON THE PHYSICAL FUNCTION OF PATIENTS AFTER HOSPITAL DISCHARGE

Camila Machado de Campos, Department of Physical Therapy, Speech Therapy and Occupational Therapy, School of Medicine, University of Sao Paulo, (Brazil)

P39 • PROVIDING FRAILTY SCREENING IN COMMUNITY-DWELLING OLDER ADULTS DURING THE COVID-19 PANDEMIC

Liyue HONG MBBS MRCP, Division of Healthy Ageing, Alexandra Hospital (Singapore)

P40 • IMPACT OF THE HOSPITALIZATION DUE TO COVID-19 ON SARCOPENIA, FRAILTY AND FUNCTIONALITY IN ADULTS AND OLDER PEOPLE AFTER HOSPITAL DISCHARGE

Camila Machado de Campo, Department of Physical Therapy, Speech Therapy and Occupational Therapy, School of Medicine, University of Sao Paulo, (Brazil)

LBP14 • ASSOCIATION BETWEEN THE COVID-19 PANDEMIC AND ACTIVITIES OF DAILY LIVING IN OLDER ADULTS

Suyeong Bae, OT, MS, Yonsei University, Wonju Gangwon-do (South Korea)

LBP15 • OPPORTUNISTIC BIOMARKERS OF FRAILTY FROM CT IMAGING IN PATIENTS WITH SUSPECTED COVID-19

Neetika Bharaj, MSc, McGill University, Montreal Quebec (Canada)

LBP16 • RELATIONSHIPS BETWEEN MALNUTRITION, SARCOPENIA, AND FRAILTY AND THE INCIDENCE OF COVID-19 IN OLDER ADULTS: DATA FROM THE SARCOPHAGE COHORT

Olivier Bruyère PhD, University of Liège, Division of Public Health, Epidemiology and Health Economic, Liège (Belgium)

E-HEALTH, DIGITAL TOOL

P41 • TRANSLATING THE PAPER STROOP TASK FOR REPEATED ADMINISTRATION AS AN ELECTRONIC STROOP (ESTROOP) TASK ON MOBILE DEVICES FOR A REMOTE EXERCISE INTERVENTION FOR MILD COGNITIVE IMPAIRMENT (MCI)

Nelson Roque, PhD, Department of Psychology, University of Central Florida, Orlando, FL (USA)

P42 • EVALUATION OF THE IMPACT ON SARC-F BY CHANGING THE RESPONSE METHOD TO VISUAL ANALOGUE SCALE (VAS)

Naoki Tomita MD, PhD, MPH, Tohoku university hospital, Sendai Miyagi (Japan)

P43 • MODELING OF COMPLEX III CATALYTIC ACTIVITY AND ROS PRODUCTION: A MULTI-OBJECTIVE OPTIMIZATION FOR PERSONALIZED MEDICINE

Corentin COUSTHAM - ISAE SUPAERO / CNRS CRCA / Université de Toulouse (France)

P44 • ONLINE SELF-ASSESSMENT OF THE OLDER WORKERS WITH HUMAN HEALTH DATA PASSPORT IN COVID-19 CONDITIONS

Olena Tomarevska MD, PhD, D.F. Chebotarev Institute of Gerontology of the National Academy of Medical Sciences of Ukraine, Kyiv (Ukraine)

P45 • COMPARISON OF THE RELIABILITY AND AGREEMENT OF THE HANDGRIP STRENGTH VALUES MEASURED BY GRIPWISE AND JAMAR DYNAMOMETERS

Daniela Pane, PhD, Gripwise Tech Lda, Póvoa de Varzim Porto (Portugal)

CLINICAL TRIALS AND THERAPEUTICS

P46 • USING PROGRESSIVE RESISTANCE TRAINING WITH AN ELASTIC BAND TO TREAT SARCOPENIA AMONG OLDER PEOPLE IN THE RURAL CARING FACILITIES~ AN PILOT STUDY FROM TAIWAN

Sheng-hui Tuan: Department of Rehabilitation Medicine, Cishan Hospital, Ministry of Health and Welfare, Kaohsiung, (Taiwan)

P47 • CHANGE OF STRUCTURE OF A BODY ON THE BACKGROUND OF A COMPLEX METHOD OF TREATMENT OF A MORBID OBESITY

Marchenkova L.A., Vasileva, National Medical Research Center of Rehabilitation and Balneology, Moscow, (Russia)

P48 • THE EFFECTS OF A HOME-BASED ORTHOSTATIC EXERCISE PROGRAM ON THE SEDENTARY BEHAVIOR OF FRAIL OLDER ADULTS: A RANDOMIZED CLINICAL TRIAL

Fabiana C. Tosi BSc, Laboratory of Studies in Technology, Functionality and Aging of the Department of Physical Therapy, Speech and Occupational Therapy, School of Medicine, University of São Paulo, São Paulo, SP, (Brazil)

OSTEOPOROSIS & FRAILITY

P49 • IS THERE A CORRELATION BETWEEN MEASUREMENT OF THE CALF CIRCUMFERENCE AND THE BONE MINERAL DENSITY IN COMMUNITY DWELLING BRAZILIAN OLDER WOMEN

Patrícia Parreira Batista. PT MSc, Universidade Federal de Minas Gerais (UFMG), Belo Horizonte (Brazil)

P50 • IDENTIFICATION OF ABERRANTLY-EXPRESSED MIRNAS IN PLASMA FROM OSTEOPOROTIC PATIENTS

Veronica Viscconti, PhD, Department of Biomedicine and Prevention, University of Rome "Tor Vergata" (Italy)

P51 • PROTEIN INTAKE DISTRIBUTION IS LINKED TO HEALTHY BONES IN WOMEN

Sherri N Stastny, PhD, Health, Nutrition, Exercise Sciences, North Dakota State University, Fargo, ND, (USA)

P52 • PATIENT PREFERENCES FOR QUALITY OF LIFE ASPECTS IN SARCOPENIA: A BEST-WORST SCALING STUDY

Olivier Bruyère PhD, Division of Public Health, Epidemiology and Health Economics, University of Liège, Liège, Belgium, World Health Organization Collaborating Center for Public Health aspects of musculo-skeletal health and ageing, Department of Sport Rehabilitation Sciences, University of Liège, Belgium (5) Physical, Rehabilitation Medicine and Sports Traumatology, Sports2, University Hospital of Liège, (Belgium)

P53 • IGF-I/IGFBP3/ALS DEFICIENCY IN SARCOPENIA: LOW GHBP SUGGESTS GH RESISTANCE IN A SUBGROUP OF GERIATRIC PATIENTS

Michael Drey, Department of Medicine IV, University Hospital, LMU Munich, Munich, (Germany)

P54 • OSTEOARTHRITIS KNEE AND FRAILITY: A CROSS-SECTIONAL STUDY AMONG RURAL OLDER ADULTS IN ODISHA, INDIA

Trilochan Bhoi, ICMR-Regional Medical Research Centre, Bhubaneswar, Odisha, (India)

P55 • SARC-F IS INACCURATE TO IDENTIFY GERIATRIC REHABILITATION INPATIENTS AT RISK FOR SARCOPENIA: RESORT

Lenore Dedeyne PhD, Department of Public Health and Primary Care, Gerontology & Geriatrics, KU Leuven, Leuven, (Belgium)

P56 • BALANCE FUNCTION IMPAIRMENT AND MUSCLES STRENGTH DEFICIENCY IN PATIENTS WITH OSTEOPOROTIC VERTEBRAL FRACTURES

Marchenkova L.A., Vasileva, National Medical Research Center of Rehabilitation and Balneology, Moscow, (Russia)

P57 • THE ASSESSMENT OF FRACTURE RISK AND OSTEOPOROSIS RATE AMONG PATIENTS OVER 50 YEARS OLD UNDERGOING MEDICAL REHABILITATION

Marchenkova L.A., Vasileva, National Medical Research Center of Rehabilitation and Balneology, Moscow, (Russia)

P58 • QUALITY OF LIFE CHANGES IN WOMEN WITH OSTEOPOROSIS OF ITS IMPROVEMENT USING COMPLEX OF PHYSICAL THERAPY INCLUDING MECHANOTHERAPUTIC TECHNOLOGIES

Marchenkova L.A., Vasileva, National Medical Research Center of Rehabilitation and Balneology, Moscow, (Russia)

P59 • INFLUENCE OF BODY WEIGHT LOSS ON GAIT AND STABILITY FUNCTION IN PATIENTS WITH OBESITY

Marchenkova L.A., Vasileva, National Medical Research Center of Rehabilitation and Balneology, Moscow, (Russia)

P60 • FIBRINOGEN, FIBRIN DEGRADATION PRODUCTS AND RISK OF SARCOPENIA

Jin-Liang Chen MD, PhD, Department of Geriatrics, the First Affiliated Hospital of Chongqing Medical University, Chongqing, (China)

P61 • OSTEOSARCOPENIA IS ASSOCIATED WITH FUNCTIONAL DISABILITY IN MEXICAN ADULTS 50 YEARS AND OLDER LIVING IN COMMUNITY

Miriam Teresa López-Teros, Universidad Nacional Autónoma de México (Mexico)

P62 • THE RELATIONSHIP BETWEEN MALNUTRITION AND SARCOPENIA IN PATIENTS WITH CHRONIC KIDNEY DISEASE (CKD) UNDERGOING HEMODIALYSIS AT SILOAM GENERAL HOSPITAL, LIPPO KARAWACI

Theo Audi Yanto - Faculty Medicine Pelita Harapan, Tangerang Banten (Indonesia)

LBP17 • ASSOCIATIONS BETWEEN SOCIOECONOMIC STATUS, BONE HEALTH, AND OBESITY, SARCOPENIA, AND SARCOPENIC OBESITY IN INDIAN OLDER ADULTS.

Anoohya Gandham, Department of Medicine, Clayton Victoria (Australia)

NUTRITION AND AGING

P63 • ASSOCIATION BETWEEN DIET QUALITY, NUTRITIONAL STATE, AND SARCOPENIA IN OLDER ADULTS OVER 80 YEARS

Renato Gorga Bandeira de Mello, MD, PhD, Fédéral University of rio grande do sul, Posto Alegre (Brazil)

P64 • OLDER ADULT GRANDPARENTS' VOICES AS A PRINCIPLES CARE GIVER IN A SKIPPED-GENERATION FAMILY

Kerdsiri Hongtha, Assistant Professor, Faculty of Nursing, Vongchavalitkul University, Nakhonratchasima (Thailand)

P65 • MALNUTRITION, ASSESSED BY THE GLIM CRITERIA BUT NOT BY THE MNA, PREDICTS THE INCIDENCE OF SARCOPENIA OVER A 5-YEAR FOLLOW-UP OF THE SARCOPHAGE COHORT

Olivier Bruyère PhD, WHO Collaborating Centre for Public Health Aspects of Musculoskeletal Health and Aging, Division of Public Health, Epidemiology and Health Economics, University of Liège, CHU—Sart Tilman, Quartier Hôpital, Avenue Hippocrate 13 (Bât. B23), 4000 Liège, Belgium - Department of Sport Rehabilitation Sciences, University of Liège, 4000 Liège, (3) Physical, Rehabilitation Medicine and Sports Traumatology, SportS2, University Hospital of Liège, 4000 Liège, (Belgium)

P66 • ASSOCIATION OF THE RISK OF SARCOPENIA WITH THE RISK OF MORTALITY IN THE ELDERLY OF A PRIVATE BRAZILIAN HOSPITAL

Natalia Golin, nutritionist, Hospital Sirio Libanês, São Paulo (Brazil)

P67 • PROTEIN INTERVENTIONS AUGMENT THE EFFECT OF RESISTANCE EXERCISE ON LEAN MASS AND STRENGTH IN OLDER ADULTS: A SYSTEMATIC REVIEW AND META-ANALYSIS OF RANDOMIZED CONTROLLED TRIALS

Richard Kirwan, School of Biological and Environmental Sciences, Liverpool John Moores University, Liverpool (UK)

P68 • DIETARY BEHAVIOUR CHANGE INTERVENTION FOR OLDER PEOPLE WITH SARCOPENIC OBESITY: STUDY PROTOCOL FOR A PILOT RANDOMISED CONTROLLED TRIAL

Yue-Heng Yin, PhD Candidate, School of Nursing, The Hong Kong Polytechnic University, Hong Kong SAR (China)

P69 • COMPLEX SUPPLEMENTATION WITH CALCIUM AND VITAMINS D3 AND B6 CAN PROLONG EFFECT OF MEDICAL REHABILITATION IN PATIENTS WITH OSTEOPOROSIS AND HIGH FRACTURE RISK

Marchenkova L.A., Vasileva, National Medical Research Center of Rehabilitation and Balneology, Moscow, (Russia)

P70 • ASSOCIATION BETWEEN HEALTHY EATING INDEX-2015 SCORES AND PROBABLE SARCOPENIA IN COMMUNITY-DWELLING IRANIAN OLDER ADULTS: A CROSS-SECTIONAL STUDY

Zahra Esmaeili, Department of Community Nutrition, School of Nutritional Sciences and Dietetics, Tehran University of Medical Sciences, Tehran, (Iran)

P71 • CONSUMPTION OF WHOLE-GRAINS, FRUIT AND VEGETABLES AND PHYSICAL CAPACITY IN OLDER WOMEN

Fatemeh Ramezan Alagheband, Institute of Public Health and Clinical Nutrition, University of Eastern Finland, 70211, Kuopio, (Finland)

P72 • ELEMENTAL AGE AS A NOVEL BIOMARKER FOR SENESCENCE

Wei Gao, MD, PhD, Department of Geriatrics, Sir Run Run Hospital, Nanjing Medical University (China)

P73 • THE RELATIONSHIP BETWEEN MINI-NUTRITIONAL ASSESSMENT AND HANDGRIP STRENGTH IN GERIATRIC PATIENTS WITH CHRONIC OBSTRUCTIVE PULMONARY DISEASE: A CROSS-SECTIONAL STUDY

Kuan-Yuan Wang MD, PhD, National Cheng Kung University Hospital, Kaohsiung (Taiwan)

LBP18 • RELATIONSHIP BETWEEN NUTRITION, ORAL HEALTH AND SARCOPENIA IN THE ELDERLY: A CROSS-SECTIONAL STUDY

Yi-Ya Chang, Assistant Professor, PhD, Department of Nursing and Clinical Competency Center, Chang Gung University of Science and Technology, Taoyuan, (Taiwan)

LBP19 • ASSOCIATION BETWEEN DIETARY INFLAMMATORY POTENTIAL AND THE PROBABLE SARCOPENIA AMONG COMMUNITY-DWELLING OLDER ADULTS: A CROSS-SECTIONAL STUDY

Zahra Esmaeili, Department of Community Nutrition, School of Nutritional Sciences and Dietetics, Tehran University of Medical Sciences, Teheran (Iran)

LBP20 • DOES THE COMBINATION OF RESISTANCE TRAINING AND A NUTRITIONAL INTERVENTION HAVE A SYNERGIC EFFECT ON MUSCLE MASS, STRENGTH, AND PHYSICAL FUNCTION IN OLDER ADULTS? A SYSTEMATIC REVIEW AND META-ANALYSIS

MoonKi Choi, College of Nursing, Kangwon National University, Chuncheon-si, Gangwon-do, (South Korea)

LBP21 • PREALBUMIN IS A PREDICTOR OF MORTALITY AT D30 IN INTENSIVE CARE PATIENTS 75 YEARS OF AGE AND OLDER: A FOUR-YEAR RETROSPECTIVE STUDY

Elodie EDWIGE, MD, Hospices Civils de Lyon, (France)

LBP22 • NUTRITIONAL ASSESSMENT AND FRAILTY SYNDROME IN A GROUP OF MEXICAN NURSING HOME RESIDENTS

Velázquez-Alva MC Professor. Health Care Department. Metropolitan Autonomous University. Unit Xochimilco. Mexico City (Mexico)

GEROSCIENCE: SENESCENT CELLS

LBP23 • METABOLOMICS-BASED FRAILTY BIOMARKERS IN CHINESE OLDER ADULTS

Yiming Pan, Department of Geriatrics, Xuanwu Hospital, Capital Medical University, National Research Center for Geriatric Medicine, Beijing (China)

EPIDEMIOLOGY

P74 • SARCOPENIA AND CARDIOMETABOLIC RISK FACTORS IN SOCIALLY ACTIVE OLDER PEOPLE: AN OBSERVATIONAL STUDY

Carla Helena Augustin Schwanke, MD, PhD, Graduate Program in Biomedical Gerontology, School of Medicine, Pontifical Catholic University of Rio Grande do Sul (PUCRS), Porto Alegre, Rio Grande do Sul, Brazil. Study Group on Cardiometabolic Risk, Aging and Nutrition (GERICEN), Institute of Geriatrics and Gerontology, Pontifical Catholic University of Rio Grande do Sul (PUCRS), Porto Alegre, Rio Grande do Sul, (Brazil)

P75 • LOW GAIT SPEED AS MARKERS OF DEPENDENCE REGARDING BASIC ACTIVITIES OF DAILY LIVING IN OLDER PEOPLE

Mônica Sanches Yassuda, Faculty of Medical Sciences, State University of Campinas, Campinas, Brazil, School of Arts, Sciences and Humanities (EACH) University of São Paulo, São Paulo, (Brazil)

P76 • IS QUADRICEPS ASSESSMENT ASSOCIATED WITH A LOSS OF MUSCLE MASS AND DECLINES IN MUSCLE STRENGTH AND MOTOR FUNCTION?

Takafumi Mizuno MD, Department of Orthopaedic Surgery, Nagoya University Graduate School of Medicine, Nagoya, Aichi, Japan, Department of Musculoskeletal Disease, National Center for Geriatrics and Gerontology, Obu, Aichi, (Japan)

P77 • TRAJECTORIES AND TRANSITIONS BETWEEN FRAILTY STAGES AND ASSOCIATED FACTORS: SYSTEMATIC REVIEW

Angela Benjumea, MD, PhD student, Gerontology and geriatrics research group, Univesidad de Caldas, Manizales, (Colombia)

P78 • THE PREVALENCE OF SARCOPENIA AMONGST COMMUNITY-DWELLING ELDERLY IN JAMAICA

Nelson GA MPhysio, Faculty of Medical Sciences, University of the West Indies, Kingston (Jamaica)

P79 • DESPRESCRIPTION MANAGEMENT OF POLYMEDICATED PATIENTS IN NURSE HOMES

Rubio Juanmaria, Jamilena Jaen (Spain)

P80 • HOW ARE FRAILTY, SARCOPENIA, AND MALNUTRITION INCLUDED IN U.S. STATE AGENCY ON AGING STRATEGIC PLANS?

Jaime J. Gahche, National Institutes of Health, Office of Dietary Supplements, Bethesda (USA)

P81 • FRAILTY AMONG OLDER ADULTS ADMITTED IN A LARGE TEACHING HOSPITAL IN THE CAPITAL CITY OF SAUDI ARABIA

Saad Alsaad, MD, Assistant Professor, Family and community medicine department, King Saud University (Saudi Arabia)

P82 • FRAILTY IN THE NETHERLANDS: DEVELOPING A FRAILTY INDEX AND INVESTIGATING ITS PSYCHOMETRIC PROPERTIES USING ITEM RESPONSE THEORY

Nanda Kleinenberg-Talsma, MSc, Hanze University of Applied Sciences, Research Group Healthy Ageing, Allied Health Care and Nursing, Groningen, (The Netherlands)

LBP24 • FACTORS ASSOCIATED WITH FUNCTIONAL IMPAIRMENTS AMONG COMMUNITY-DWELLING ELDERLY IN CAMEROON: 1ST NATIONAL CROSS-SECTIONAL STUDY

Gustave Mabiama MSc, nserm U1094, Univ. Limoges, CHU Limoges, IRD, U1094, Tropical Neuroepidemiology, Limoges (France)

LBP25 • PREVALENCE OF PHYSICAL FRAILITY AMONG COMMUNITY-DWELLING OLDER ADULTS IN ASIAN COUNTRIES: A SYSTEMATIC REVIEW AND META-ANALYSIS

To Thi Lien, Graduate Institute of Public Health, China Medical University, Taichung (Taiwan)

LBP26 • PREVALENCE OF FRAILITY AND ITS RELATED FACTORS IN COMMUNITY-DWELLING MIDDLE-AGED AND OLDER ADULTS IN JAPAN - REPRODUCIBILITY IN TWO CITIES

Tsukasa Yoshida, PhD, National Institutes of Biomedical Innovation, Health and Nutrition, Shinjuku Tokyo (Japan)

ANIMAL MODELS, PRECLINICAL STUDIES

P83 • ADIPONECTIN RECEPTOR ACTIVATION IMPACTS SKELETAL MUSCLE AGING IN MICE

Katie Osterbauer, Graduate Research Assistant, Department of Nutritional Sciences, University of Wisconsin, Madison, WI (USA)

P84 • IMMOBILIZATION COMBINED WITH CALORIC RESTRICTION AS TRANSLATIONAL MOUSE MODEL FOR SARCOPENIA EXPRESSING KEY PATHWAYS OF HUMAN PATHOLOGY

Jelle CBC de Jong, Department of Metabolic Health Research, The Netherlands Organization for Applied Scientific Research (TNO), Leiden, The Netherlands, Human and Animal Physiology, Wageningen University, Wageningen, (the Netherlands)

P85 • OPTIMIZED GRIP TESTING AND COMPARISON WITH IN VIVO MUSCLE CONTRACTILITY AND MUSCLE MASS IN AGED MICE

Alissa Ray - Ohio State University Biomedical Science Major, Columbus, OH (USA)

BIOMARKERS AND IMAGING

P86 • COMPARISON OF SARCOPENIA CLASSIFICATIONS WITH QUADRICEPS ASSESSMENTS USING FEMORAL CT IMAGES

Yasumoto Matsui, MD, National Center for Geriatrics and Gerontology, Obu Aichi (Japan)

P87 • RELATIONSHIP BETWEEN BIOIMPEDANCE PHASE ANGLE AND DEGREE OF FRAILITY OR FALL EXPERIENCE

Yasumoto Matsui, MD, National Center for Geriatrics and Gerontology, Obu Aichi (Japan)

P88 • COMBINED HIGH-RESOLUTION ANATOMICAL AND QUANTITATIVE MAGNETIC RESONANCE IMAGING FOR DETECTION OF MICROSTRUCTURAL TISSUE CHANGES IN SKELETAL MUSCLE

Bragi Sveinsson, PhD, Athinoula A. Martinos Center for Medical Imaging, Department of Radiology, Massachusetts General Hospital, Boston, USA Harvard Medical School, Boston, (USA)

P89 • CORRELATION OF SARCOPENIA WITH LENGTH OF STAY AS WELL AS RE-ADMISSION RATE IN ELDERLY PATIENTS ADMITTED TO HOSPITAL DUE TO FALL

David Doss, Liverpool Hospital, Sydney, (Australia)

P90 • SARCOPENIA ASSOCIATES WITH SNAP-25 SNPS AND A MIRNAS PROFILE WHICH IS MODULATED BY STRUCTURED REHABILITATION TREATMENT

Simone Agostini, IRCCS Fondazione Don Carlo Gnocchi ONLUS, Milan, (Italy)

P91 • PROTEOMIC PROFILING REVEALS NEW PROTEIN BIOMARKERS OF LOW MUSCLE AND HIGH FAT MASS: A MACHINE LEARNING APPROACH IN THE KORA S4/FF4 STUDY

Marie-Theres Huemer, MSc, Institute of Epidemiology, Helmholtz Zentrum München, German Research Center for Environmental Health (GmbH), Neuherberg, (Germany)

LBP27 • ASSOCIATIONS OF LEG EXTENSION STRENGTH WITH FEATURES CHARACTERIZING THE DISTRIBUTION OF MUSCLE ADIPOSE TISSUE IN ELDERLY MEN WITH OSTEOSARCOPENIA

Oliver Chaudry PhD, Institute of Medical Physics, Friedrich-Alexander-Universität Erlangen-Nürnberg, Erlangen (Germany)

LBP28 • SERUM METABOLOMIC ADAPTATIONS FOLLOWING A HIGH-INTENSITY INTERVAL TRAINING OR A CONTINUOUS TRAINING IN OBESE OLDER ADULTS

Layale Youssef, Université de Paris, France

LBP29 • INVESTIGATING THE IMPACT OF FLUID STATUS ON THE ULTRASOUND ASSESSMENT OF MUSCLE QUANTITY AND QUALITY IN THE DIAGNOSIS OF SARCOPENIA

Benjamin Stanley, Institute of Inflammation and Ageing, College of Medical and Dental Sciences, University of Birmingham, Birmingham (UK)

PHYSICAL EXERCISE

P92 • BIOMARKER AND COGNITIVE EFFECTS OF SINGLE BOUTS OF MODERATE-INTENSITY NEURO-EXERGAMING, HIGH-INTENSITY INTERVAL TRAINING (HIIT), AND FASTED EXERCISE FOR MILD COGNITIVE IMPAIRMENT: A CASE STUDY OF SERIAL INTERVENTIONS

Claudia Dalterio, BS, Department of Psychology & Neuroscience, Union College, Schenectady, NY, (USA)

P93 • QUALITY OF LIFE, AGING RATES AND PHYSICAL ACTIVITY AMONG THE ELDERLY IN RUSSIA

Anzhelika Bashkireva MD, PhD, Research and Innovation Center «Professional Longevity», St. Petersburg (Russia)

P94 • FACILITATORS AND BARRIERS THAT ENHANCE PHYSICAL ACTIVITY IN OLDER PATIENTS DURING A HOSPITAL STAY: A SYSTEMATIC REVIEW

Froukje Dijkstra, MSc, NHL Stenden University of Applied Sciences, Research Group Living, Wellbeing and Care for Older People, Leeuwarden, the Netherlands, Hanze University of Applied Sciences, Research Group Healthy Ageing, Allied Health Care and Nursing, Groningen, the Netherlands, FAITH research consortium, (the Netherlands)

P95 • A MULTICOMPONENT AND FUNCTIONAL PHYSICAL EXERCISE PROGRAM REVERSES FRAILITY, IMPROVES PHYSICAL CONDITION AND MAINTAINS FUNCTIONALITY IN OLDER ADULTS LIVING IN NURSING HOMES

Itxaso Mugica-Errazquin RN MSc, Nursing Department II, University of the Basque Country (UPV/EHU), Hospital Universitario Donostia, Basque Health Service (Osakidetza), (Spain)

P96 • ASSOCIATIONS BETWEEN POLYPHARMACY AND PHYSICAL PERFORMANCE MEASURES IN OLDER ADULTS

Serdar Ozkok, Department of Internal Medicine, Division of Geriatrics, Istanbul Medical School, Istanbul University, Capa, 34390, Istanbul, (Turkey)

P97 • COMPLEX THERAPY OF A PATIENT WITH TYPE 2 DIABETES MELLITUS (T2DM) AND MORBIDE OBESITY IN REHABILITATION

Marchenkova L.A., Vasileva, National Medical Research Center of Rehabilitation and Balneology, Moscow, (Russia)

P98 • THE EFFECT OF PROGRESSIVE RESISTANCE TRAINING ON FUNCTIONALITY AND HANDGRIP STRENGTH IN THE OLDER INDIVIDUALS OF A COMMUNITY: A QUASI-EXPERIMENTAL STUDY

Luiz Sinésio Silva Neto- Faculty of Medicine, Federal University of Tocantins, (Brazil)

P99 • THE CLINICAL EFFECTIVENESS OF PROGRESSIVE RESISTANCE TRAINING WITH ELASTIC BAND IN THE TREATMENT OF FRAGILE SYNDROME AND SARCOPENIA AMONG ELDERS IN THE DAYCARE CENTER OF SOUTHERN RURAL TAIWAN

Sheng-Hui Taun, Department of Rehabilitation Medicine, Cishan Hospital, Ministry of Health and Welfare, Kaohsiung, Taiwan

LBP30 • WHAT FACTORS INFLUENCE OR AFFECT THE IMPLEMENTATION OF EARLY MOBILIZATION OF OLDER PATIENTS IN HOSPITAL: A SYSTEMATIC REVIEW APPLYING THE CONSOLIDATED FRAMEWORK FOR IMPLEMENTATION RESEARCH (CFIR)

Chelson Kumar Solomon, MSc, Clinical Service Lead for Occupational Therapy and Physiotherapy in Medicine, Therapies Department, Imperial College (UK)

INTEGRATED CARE (ICOPE)

P100 • PREDICTIVE ABILITY OF BASELINE INTRINSIC CAPACITY IN MEXICAN COMMUNITY-DWELLING ELDERLY ADULTS

L.M. Gutierrez-Robledo, MD, PhD, (Instituto Nacional de Geriátria, México)

P101 • DEVELOPMENT OF A WELL-BEING INDEX FOR PREDICTING FUNCTIONAL LIMITATIONS ACCORDING TO A SCREENING QUESTIONNAIRE IN THE CONTEXT OF INTEGRATED CARE FOR OLDER PEOPLE (ICOPE): THE JOCKEY CLUB COMMUNITY EHEALTH CARE PROJECT

Ruby Yu, PhD, Department of Medicine & Therapeutics, Faculty of Medicine, Jockey Club Institute of Ageing, The Chinese University of Hong Kong, Hong Kong, (China)

P102 • DEVELOPMENT OF CHECKLIST FOR ASSESSING INTRINSIC CAPACITY FROM THE KIHON CHECKLIST AND THE FALL RISK INDEX QUESTIONNAIRES

Shosuke Satake, MD, Department of Geriatric Medicine, National Center for Geriatrics and Gerontology, Obu Aich (Japan)

P103 • METHODS AND IMPACT OF ICOPE STEP 1 TRAINING BY WEBINAR

Justine de Kerimel, CHU Toulouse, Lagrave (France)

P104 • PLACE OF DIGITAL TOOLS IN THE IMPLEMENTATION OF THE ICOPE PROGRAM

Justine de Kerimel, CHU Toulouse, Lagrave (France)

P105 • DOES STEP1 OF ICOPE ALLOW THE EARLY IDENTIFICATION OF FRAIL SUBJECTS?

Christine Lafont, Gérontopôle, Centre Hospitalo-Universitaire de Toulouse, Équipe Régionale Vieillesse et Prévention de la Dépendance (ERVPD), (France)

LBP31 • PREVALENCE AND ASSOCIATED FACTORS OF DECLINES IN INTRINSIC CAPACITY IN CHINESE OLDER ADULTS

Lina Ma, Xuanwu Hospital Capital Medical University, Beijing (China)

LBP32 • DETERMINANTS OF IMPROVED QUALITY OF LIFE AMONG OLDER ADULTS WITH MULTIMORBIDITY RECEIVING INTEGRATED OUTPATIENT SERVICES: A HOSPITAL-BASED RETROSPECTIVE COHORT STUDY

Ko-Han Yen, Center for Geriatrics and Gerontology, Taipei Veterans General Hospital, Taipei (Taiwan)

BODY COMPOSITION

P106 • CUT-OFF POINTS TO IDENTIFY MUSCLE WEAKNESS WITH HANDGRIP AND KNEE EXTENSION STRENGTH ALLOMETRICALLY NORMALIZED BY BODY-SIZE VARIABLES IN OLDER ADULTS

Pedro Pugliesi Abdalla, Master of Science, University of São Paulo / University of Porto (Portugal)

P107 • IS THERE A CORRELATION BETWEEN FAT MASS AND RESPIRATORY MUSCLE STRENGTH

Patrícia Parreira Batista, PT MSc, Universidade Federal de Minas Gerais (UFMG), Belo Horizonte (Brazil)

P108 • CORRELATION BETWEEN MUSCLE QUALITY INDEXES AND GAIT SPEED IN COMMUNITY DWELLING BRAZILIAN OLDER WOMEN

Patrícia Parreira Batista, PT MSc, Universidade Federal de Minas Gerais (UFMG), Belo Horizonte (Brazil)

P109 • ESTIMATION OF APPENDICULAR SKELETAL MUSCLE MASS WITH BIOELECTRICAL IMPEDANCE ANALYSIS DERIVED EQUATIONS VERSUS DUAL ENERGY X-RAY ABSORPTIOMETRY IN AN URUGUAYAN ELDERLY POPULATION (IAEA RLA 6/073 PROJECT)

Marina Moirano RD, MSc, Montevideo (Uruguay)

P110 • ASSOCIATION BETWEEN LUMBAR MUSCLE MASS AND POSTURAL STABILITY IN ELDERLY PATIENTS

K Inoue, Orthopedic Surgery Department, Tokyo Saiseikai Mukojima Hospital, Tokyo, (Japan)

P111 • IMPROVING THE UTILITY OF THE SARCOPENIA DIAGNOSTIC ALGORITHM IN OLDER PATIENTS WITH CHRONIC KIDNEY DISEASE BY INTEGRATING MUSCLE QUALITY AND BODY WEIGHT ADJUSTED STRENGTH VALUES

Michael O. Harris-Love, DSc, MPT, Muscle Morphology, Mechanics, and Performance Laboratory, Rocky Mountain Regional Veterans Affairs Medical Center, Aurora, CO, USA, Department of Physical Medicine & Rehabilitation, The University of Colorado Anschutz Medical Center, Aurora, CO, (USA)

P112 • ASSOCIATIONS OF SARCOPENIC OBESITY VERSUS SARCOPENIA ALONE WITH FUNCTIONALITY

Serdar Ozkok, Department of Internal Medicine, Division of Geriatrics, Istanbul Medical School, Istanbul University, Capa, 34390, Istanbul, (Turkey)

P113 • A MULTIMODAL APPROACH IN DETERMINING CUT-OFF VALUES FOR THE SCREENING OF OSTEOSARCOPENIA IN OBESE POSTMENOPAUSAL WOMEN

Nurdiana Z. Abidin, PhD, School of Biosciences, Faculty of Science and Engineering, University of Nottingham Malaysia, - Lifestyle Science Cluster, Advanced Medical and Dental Institute, Universiti Sains Malaysia, (Malaysia)

P114 • BODY COMPOSITION PARAMETERS AND THE IMPACT OF DIFFERENT DEFINITIONS OF SARCOPENIA IN ADULTS WITH DOWN SYNDROME

Emanuele Rocco Villani, PhD student, MD, Department of Geriatrics, Fondazione Policlinico Universitario A. Gemelli IRCCS, Rome, (Italy)

P115 • BODY COMPOSITION ASSESSMENT PROTOCOL IN SARCOPENIC PATIENTS

Juliana Bonfleur Carvalho nutritionist, Department of Nutrition, Sirio Libanês Hospital, São Paulo (Brazil)

P116 • ASSOCIATIONS OF OBESITY, SUBJECTIVELY EVALUATED PROBABLE SARCOPENIA AND THEIR COMBINATIONS WITH MORTALITY IN NURSING HOME RESIDENTS

Nezahat Muge Catikkas, MD, Istanbul University Istanbul Medical School, Department of Internal Medicine, Division of Geriatrics(Turkey)

P117 • DEREGULATION OF IL-37 AND ITS MIRNAS MODULATORS IN SARCOPENIC PATIENTS AFTER REHABILITATION

Francesca La Rosa, PhD, IRCCS Fondazione Don Carlo Gnocchi - ONLUS, Milan, (Italy)

LBP33 • OBSERVATIONAL COHORT STUDY OF HEALTHY COMMUNITY DWELLING SENIORS FOLLOWED FOR 12 MONTHS TO ASSESS THE IMPACT OF LIFESTYLE ON SARCOPENIC STATUS

Angela Juby, University of Alberta, Edmonton (Canada)

LBP34 • USE OF THE SERGI EQUATION TO ESTIMATE THE APPENDICULAR MUSCLE MASS IN THE MEXICAN POPULATION: AN EXPLORATORY STUDY

Jorge Morales Vargas, Hospital Aranda de la Parra. Centro de Investigación Morales-Vargas SC, León Guanajuato (Mexico)

LBP35 • MUSCLE MASS CUTOFFS OF FOUR INTERNATIONAL SARCOPENIA-WORKING GROUPS IN JAPANESE PEOPLE USING A DXA AND TWO BIA

Yosuke Yamada, National Institute of Biomedical Innovation, Health and Nutrition, Tokyo (Japan)

LBP36 • FAT AND SPINAL MUSCLE MASS IN PATIENTS WITH LOW BACK PAIN AND DEGENERATIVE DISC DISEASE IN DIFFERENT AGE GROUPS

Natalia Pravdyuk, Pirogov Russian National Research Medical University, Moscow (Russia)

LBP37 • CHARACTERISTICS OF BODY COMPOSITION IN PEOPLE OVER 50 YEARS OF AGE

Daria Podchinenova, Siberian State Medical University, Tomsk (Russia)

LBP38 • AGE-RELATED CHANGES OF BODY COMPOSITION IN HEALTHY UKRAINIAN MEN DURING THE PHYSIOLOGICAL AGING

Nataliia Grygorieva, Dmitry F. Chebotarev Institute of Gerontology of the National Academy of Medical Sciences of Ukraine, Kyiv (Ukraine)

BIOLOGY OF FRAILTY, SARCOPENIA

P118 • SARCOPENIA AND SARCOPENIC OBESITY DIAGNOSTIC WITH THE REVISED AND THE FIRST VERSION OF THE EUROPEAN CONSENSUS IN CHILEAN OLDER PEOPLE

Lydia Lera, PhD, University of Chile and Keiser University - Santiago (Chile)

P119 • GRIP STRENGTH IN ELDERLY WITH TYPE 2 DIABETES MELLITUS

Patrícia Parreira Batista, PT MSc, Universidade Federal de Minas Gerais (UFMG), Belo Horizonte (Brazil)

P120 • ENERGY METABOLISM DYSREGULATION IN SARCOPENIA: ROLE OF CPT1A AND CPT1B

Chiara Gregg, PhD, Department of Clinical Sciences and Translational Medicine, "Tor Vergata" University of Rome, Rome, (Italy)

P121 • ROLE OF MYOSTATIN IN MUSCLE DEGENERATION BY SIMULATED MICROGRAVITY:

AN IN VITRO STUDY FOR THE TREATMENT OF SARCOPENIA

Ida Cariati, PhD, Department of Clinical Sciences and Translational Medicine, "Tor Vergata" University of Rome (Italy)

P122 • INVESTIGATION OF LEAN AND FAT MASS IN YOUNG ADULTS WITH JUVENILE IDIOPATHIC ARTHRITIS

Myroslava Kulyk, MD, Bogomolets National Medical University, Kyiv, (Ukraine)

P123 • MUSCLE QUALITY INDEX IN PATIENTS WITH COGNITIVE IMPAIRMENT. RESULTS FROM A REFERRAL CENTER FOR ALZHEIMER'S DISEASE IN SOUTHERN ITALY

Roberta Barone, MSc, Center for Neurodegenerative Diseases and the Aging Brain, Department of Clinical Research in Neurology, University of Bari 'Aldo Moro, "Pia Fondazione Cardinale G. Panico", Tricase, (Italy)

P124 • INVOLVEMENT OF THE SNARE COMPLEX SNAP-25 AND STX1A POLYMORPHISMS IN SARCOPENIA

Andrea Saul Costa PhD, IRCCS Fondazione Don Carlo Gnocchi ONLUS, Milan, (Italy)

P125 • ELDERLY AGE-HEALTH AND SHIFTING PROBABILITY OF OVERALL CHRONOLOGICAL AGE INTO BIOLOGICAL AGE OF ELDERLY IN BANGLADESH

Ashraf Islam, MD, Shanta Securities Limited, Dhaka-Securities Consultant Limited, Dhaka, (Bangladesh)

P126 • PREDICTION OF REDUCED FUNCTION AND PHYSICAL PERFORMANCE IN OLDER ADULTS WITH LOW GRIP STRENGTH

Duygu Erbas Sacar, MD/Geriatrics Fellow, Department of Internal Medicine, Division of Geriatrics, Istanbul University School of Medicine, (Turkey)

P127 • PHYSICAL ACTIVITY LEVEL AND ASSOCIATED FACTORS IN CANCER PATIENTS WITH ANOREXIA-CACHEXIA SYNDROME

Olga Laura Sena Almeida, MD, Department of Internal Medicine, Ribeirão Preto Medical School, University of São Paulo, (Brazil)

LBP39 • MOTS-C PREVENTS DISUSE-INDUCED SKELETAL MUSCLE WASTING

Hiroshi Kumagai, The Leonard Davis School of Gerontology, University of Southern California, Los Angeles CA, (USA)